













12 LAYER, 1.6mm STANDARD BUILD

½ oz COPPER PLATED TO 1 oz		0.038mm
1 x 2116 HRC PRE-PREG		0.1265mm
1 oz COPPER 0.10mm CORE 1 oz COPPER		0.033mm 0.100mm 0.033mm
1 x 2116 HRC PRE-PREG		0.112mm
1 oz COPPER 0.10mm CORE 1 oz COPPER		0.033mm 0.100mm 0.033mm
1 x 2116 HRC PRE-PREG		0.112mm
1oz COPPER 0.10mm CORE 1 oz COPPER		0.033mm 0.100mm 0.033mm
1 x 2116 HRC PRE-PREG		0.112mm
1 oz COPPER 0.10mm CORE 1 oz COPPER		0.033mm 0.100mm 0.033mm
1 x 2116 HRC PRE-PREG		0.112mm
1 oz COPPER 0.10mm CORE 1 oz COPPER		0.033mm 0.100mm 0.033mm
1 x 2116 HRC PRE-PREG		0.1265mm
½ oz COPPER PLATED TO 1 oz		0.038mm

FINISHED BOARD THICKNESS OVER PLATED COPPER 1.607 mm
--